SECTION: 200 ADMINISTRATION

Reviewed: September 28, 2020

HEAD LICE (PEDICULOSIS) AND NITS

The procedures below will be implemented to assist and support families affected by head lice and/or nits.

- When a student is suspected of having head lice (ie scratching head, visible nits in the hair, etc) the student will be sent to the school nurse or a trained district designee for evaluation.
- When live lice and/or nits are found, parents will be notified by phone. A student with
 live lice and/or untreated nits will need to be picked up immediately. The school nurse
 will work with families to provide information and resources so that treatment is
 complete and appropriate.
- The student must be treated before returning to school. To re-enter school, the student will be rechecked for live lice before going back to class. A student found to have live lice and/or untreated nits will be sent home with further instructions.

We do not check entire schools or classrooms. Current evidence does not support the efficacy and cost effectiveness of classroom or school-wide screening for head lice to reduce the number of head lice infestations among school children.

Stanley-Boyd Schools



507 East First Avenue ● Stanley, WI 54768 Phone: 715-644-5810 Fax: 715-644-5584 www.stanleyboyd.k12.wi.us

Date: ______
Your child was found to have head lice today at school.

Do not panic!

Anyone can get head lice. Head lice have nothing to do with cleanliness, parenting skills, or disease transmission.

It is important to start treatment with a head lice shampoo. This is available to you over-the-counter. Your child may return to school after treatment. But you may opt to have your child stay home one day to continue with the combing/nit removal process.

Don't hesitate to contact me, your physician, or the county public health department with questions.

Thank you.

Sincerely,

Karyn R. Nitz RN
Stanley Boyd School District
knitz@s-bschools.org

phone: 715-644-5534 Ext 107



COMB, COMB, COMB

The best prevention advice is to really work on nit removal. The nits are eggs that hatch. No product is 100% effective against nits. Even one missed nit can hatch into a louse. And that louse can lay 60-100 nits in its thirty-day lifetime.

Nits can be well hidden, especially when your eyes are tired after you've been searching and combing for a while.

Comb every evening for 10 days; even if you think you've removed all the nits.

Students with long hair must wear their hair pulled back or braided until head checks are clear.

COMB, COMB, COMB

Stanley-Boyd Schools

tooth comb even if you don't see any nits.



507 East First Avenue ● Stanley, WI 54768 Phone: 715-644-5810 Fax: 715-644-5584 www.stanleyboyd.k12.wi.us

Head Lice

Checklist for Parents/Guardians

Get the head lice shampoo from your	
• • •	10. Collect all bedding-sheets, pillows,
doctor, clinic, or drugstore.	pillowcases, and blankets-and machine wash
2. Carefully check all members of the	items at the hottest temperature (130 degrees)
household, especially behind the ears and at the	44 Afternoonalise on most be additional into the
nape of the neck. Look for red streaks from	11. After washing, put bedding into the
scratching.	dryer at hottest-temperature setting for at least 20 minutes, or until dry.
3. Treat head and scalp ONLY AS	
DIRECTED by the manufacturer of the treatment	12. Pillows and stuffed animals that
you choose. The hair should be completely wet	cannot be washed must be put into a plastic
with medication.	bag, tied off, and left completely closed for at
	least 14 days.
4. Set the timer for the length of time that	
the medication is to remain on the hair.	13. Vacuum all rugs very thoroughly.
	Vacuum all couches, chairs, car headrests, car
5. Rinse medication out of hair. Rinse with	seats-anywhere that the back of someone's
water and towel dry.	head might touch.
6. The best way to see the lice eggs or nits	14. Throw away all plastic bags and
is in a very bright light. Sunlight is the best light.	vacuum bags after use.
If you miss even one nit, it may eventually hatch	
60-100 nits (eggs).	15. All combs and brushes should be
66 100 mg (5995).	soaked in hot water (130 degrees) for 5-10
7. Divide hair into sections. Then, with a	minutes.
very fine-tooth comb, comb through the hair,	
pulling out all nits. Nits may need to be pulled	16. Make it a habit to check your
out with fingers or cut the hair strand above the	child(ren) once a week for signs of head lice.
nit.	
8. Teach your child not to share others'	
hats, scarves, coats, combs, brushes, etc.	
9. Every night (for 10 days), each child	
should be checked for redness of scalp,	
additional nits/eggs, or lice. Comb with a fine-	